Web Interface Fine Tuning Web Interface Fine Tuning


Web Interface Fine Tuning

This section covers the Entrance Tunnel of the Web Interface.

Entrance Tunnel

If your program needs specific versions of HTML browser, or JavaScript as prerequisite, do not let the user run on an incomplete page or get error messages.

A common technique for browser-specific checks is a so-called entrance tunnel. This is the first page of your application. The page can show the logo of your application or just a link to your application. Now the next pages can be browser-dependent, or you may not allow the user to enter:



There are two places to check such specifics:

- Server-side checking at program generation of your dynamic page.
- Browser-side scripting.

The version of an HTML browser used can be checked if the variable HTTP_USER_AGENT is read.

Copyright Software AG 2001

Entrance Tunnel Web Interface Fine Tuning

With the Natural Web Interface, use the following lines of code:

```
PERFORM W3READ-ENVIRONMENT H3NAME H3SERVER H3VALUE H3VALUE-MAX
IS-IE4 := FALSE
IS-NAV4 := FALSE
IF H3VALUE-MAX GT 0 THEN
 EXAMINE H3VALUE FOR "Mozilla" GIVING INDEX II
  IF II EQ 1 THEN
   EXAMINE H3VALUE FOR "MSIE" GIVING INDEX IJ
   IF IJ GT 0 THEN
     IS-IE := TRUE
   ELSE
     IS-NAV := TRUE
   END-IF
 END-IF
END-IF
* Browser Dependent Coding
* only if Navigator is used.
IF IS-NAV EQ TRUE THEN
```

```
The following value identifies a Microsoft Internet Explorer 4.01: Mozilla/4.0 (compatible; MSIE 4.01; Windows NT)
```

With the following value a Netscape Communicator 4.5 will respond: Mozilla/4.5 [en] (WinNT; I).

The same check can be done with an Java program on the client side.


2

```
// Check for used Browser
function Is ()
{ // convert all characters to lowercase to simplify testing
var agt=navigator.userAgent.toLowerCase()
// *** BROWSER VERSION ***
  this.major = parseInt(navigator.appVersion);
  this.nav = ((agt.indexOf('mozilla')!=-1) && ((agt.indexOf('spoofer')==-1))
&& (agt.indexOf('compatible') == -1)))
  this.ie = (agt.indexOf("msie") != -1)
}
// Browser Dependent Coding
// only if Navigator is used.
IF is.nav { ...
```


Copyright Software AG 2001

Web Interface Fine Tuning Entrance Tunnel

If your application should not look the same all the time, you can alter your entrance tunnel:



or:



Copyright Software AG 2001 3